APPENDIX B

Subdivision Report

File No.: 2023-S-013 This application proposes to subdivide 1 parcel

from the existing SE-26-63-7-W4M (Plan

8320518; Block 1)

I. Background Information

Date of Meeting:

Location: The subject site is located near Manatokan Lake, North of

Iron River

Legal Description: SE-26-63-7-W4M (Plan 8320518; Block 1)

Applicants: Karry Lynn Kaval

September 12, 2023

Owners: Karry Lynn Kaval

Date of Acceptance July 26, 2023

Expiry Date: September 22, 2023

Title Area: 103.63 Acres (41.94 Hectares)

Proposed Land Use: Residential

Proposed Number of Lots: One (1) Lot

Area of Each Proposed Lot: As per Tentative Plan

Land Use Bylaw: Agriculture "A"

Area Structure Plan: N/A

II. Recommendations

That this application for subdivision be **APPROVED** subject to the following conditions:

- 1. Pursuant to Section 655 of the Municipal Government Act and Section 3.9(3) of the Municipal Development Plan, that the owner/developer install internal road, approaches, including culverts and crossings to the proposed parcel(s) and to the remnant parcel to be provided at the owner/developer's expense and to the specifications and satisfaction of the Municipal District of Bonnyville No. 87;
- 2. Pursuant to Section 661 & 662 of the Municipal Government Act, that the owner/developer dedicate to the Municipal District of Bonnyville No. 87, a 5.18 meter (17 feet) wide strip of land for road widening along the entire frontage of the **NORTH** side of the proposed and remnant parcels. **To be registered by separate road plan**;
- 3. Pursuant to Section 666, 667 and 669 of the Municipal Government Act, that the owner/developer pay to the Municipal District of Bonnyville No. 87 \$4138.00 per hectare cash-in-lieu of Municipal Reserve owing for 10% of the proposed parcels. A Deferred Reserve Caveat shall be registered against the remnant parcel for the balance of the Municipal Reserve owing as a means of recording outstanding reserves;
- 4. Pursuant to Section 654 of the Municipal Government Act, that all outstanding property taxes be paid.

NOTES:

- 1. To avoid unnecessary complications, you are advised that no work should commence, on the proposal prior to endorsement of the registrable instrument and without prior consultation with the Municipal District of Bonnyville No. 87.
- 2. The parcels being created are located adjacent to an area designated for agriculture in the Land Use Bylaw. The primary purpose of the Agricultural District is to provide landowners with the right to farm. Any potential purchasers of the parcels are to be advised that the adjacent agricultural activities in the Agricultural District may have precedence.
- 3. Prior to endorsement of an instrument affecting this plan, approaches, including culverts and crossings to the proposed parcels and to the remnant, and upgrading of external roads required by the MD is to be provided at the developer's expense and to the specifications and satisfaction of the MD of Bonnyville No. 87.
- 4. Pursuant to Section 654(1)(c) of the Municipal Government Act, the on-site sewage disposal shall comply to the Alberta Safety Codes Act, the Nuisance and General Sanitation Regulations and Part 2 of the Province of Alberta Public Health Act.
- 5. The following information is provided as required by Section 656(2)(a) of the Municipal Government Act.

 An appeal of this decision lies to the Land and Property Rights Tribunal, 1229 91 St NW Edmonton

 AB T6X 1E9

III. Summary of Comments from Referral Agencies

- 1. The following agencies have no objections to the proposed subdivision:
 - Alberta Environment & Parks
 - Alberta Health Services

As required in Section 15 of the *Nuisance and General Sanitation Regulation* (A.R. 243/2003), a water well shall not be located within:

10 metres of any watertight septic tank, pump out tank or other watertight compartment of a sewage or waste water system;

15 metres of a weeping tile field, an evaporative treatment mound or an outdoor privy;

30 metres of a leaching cesspool;

50 metres of sewage effluent on the ground surface;

100 metres of a sewage lagoon, or

450 metres of any landfill.

- Apex Utilities Inc.
- ATCO Electric
- Bonnyville Regional Fire Authority
- Lakeland Catholic School Division
- MD Agricultural Services
- MD Parks, Recreation & Culture
- MD Public Safety
- MD Public Works
- North East Gas Co-op
- Telus Communications Inc.

IV. Analysis

1. Site and Surrounding Area Approaches:

To proposed parcel(s): Existing approach will need to be confirmed to 5.0 acre parcel To remainder of 1/4: Existing approach to remaining 98.63 acre parcel

Municipal Road:

Surface conditions: **Gravel**

Site Lines for access to proposed subdivision parcel(s): Good

Description of Property:

	Area to be Subdivided	Remnant
Tree cover:	n/a	30%
Under cultivation:	n/a	n/a
Pasture land:	n/a	n/a
Soils:	25.1% (Poor 14% - 32%)	
Drainage:	Appears to be good	

Topography: Flat to Rolling Flat to Rolling

<u>Description of Adjacent Lands and Uses:</u>

Uses and activities on the adjacent lands: Industrial, Country Residential and Agricultural Adjacent farming activities such as feedlots, wintering sites, game farms, cattle grazing: Crop Farming and cattle grazing

Pipelines/Oil & Gas Facilities:

Wellsite – existing in use, inactive, tank farm, location in relation to proposed subdivision: **n/a** Gas Facilities – well site, compressor station: **n/a** Pipelines – location, type of product (gas, oil, water): **n/a**

- 2. Subdivision History
 - One (1) 9.00 ac parcel in the SE corner used as a campground and one (1) 1.00 ac parcel in the SE corner.
- 3. Conformity with the Municipal Government Act and Subdivision and Development Regulation.
 - Yes
- 4. Compliance with the Lower Athabasca Regional Plan.
 - Yes
- 5. Compliance with the Municipal Development Plan.
 - Yes
- 6. Compliance with the Land Use Bylaw.
 - Yes

V. Conclusion

This subdivision application does meet the requirements of the Municipal Government Act, Subdivision and Development Regulation, and Lower Athabasca Regional Plan, and the regulations of the Municipal Development Plan and Land Use Bylaw.

It is recommended that the proposed subdivision be **conditionally approved** as per conditions.